

Power of Concrete

Cement Resin
CL COLLECTION

Resin and concrete: the dynamic duo for bold architecture and design. Elevate any space with their versatile composition and striking style.

Featuring the coated effect typical of resin, with a slightly shiny effect on a matt surface, in a palette of dense colours, both warm and cool, ranging from white through three different shades of grey, from greige to taupe, and three colours with a contemporary soul: cotto, mustard and petrol blue, suitable for bringing a touch of character to any setting.

S
O
P
H
I
S
T
I
C
A
T
E
D

T
E
X
T
U
R
E



- CALM P.4
- DELIGHT P.10
- AWAKE P.14
- FANCY P.20
- SHY P.25
- TRUST P.30
- VERVE P.36
- KARMA P.41
- GLEE P.44
- GRACE P.47
- TECHNICAL CHARACTERISTICS P.51


cement resin effect



calm CL delight CL awake CL fancy CL shy CL trust CL



verve CL karma CL glee CL grace CL



brushed R9 (br)

FINISHES



9 mm
6 mm

THICKNESSES

CALM



1200 x 2780 mm br (6mm)



calm
wall: 1200 x 2780 br (6mm)
floor: 1200 x 1200 br

reinventing spaces

calm
floor 1200 x 1200 br





calm
floor: 800 x 800 br

calm
1200 x 2780 br (6mm)





calm
floor 1200 x 1200 br



calm
wall 1200 x 2780 br (6mm)



calm
wall 1200 x 2780 br (6mm)



calm
floor 1200 x 1200 br




calm
1200 x 2780 br (6mm)







SIZES & FINISHES



9 mm




brushed R9 (br)



mosaico 36T



trident



patchy






nest



6 mm



brushed R9 (br)



DELIGHT



floor 800 x 800 mm br



delight
wall 600 x 1200 br & 1200 x 2780 br (6mm)
floor patchy décor

affuring atmosphere



delight
floor 800 x 800 br



delight
wall 600 x 1200 br & 1200 x 2780 br (6mm)
bench 1200 x 2780 br (6mm)
floor patchy décor




delight
1200 x 1200 br




delight
1200 x 2780 br (6mm)


SIZES & FINISHES




9 mm




brushed R9 (br)




6 mm




brushed R9 (br)



1200 x 1200 mm
br




600 x 600 mm
br



300 x 600 mm
br




1200 x 2780 mm
br




600 x 1200 mm
br




mosaico 36T




800 x 800 mm
br



trident




patchy



400 x 800 mm
br




nest



V2




LEED
COMPLIANT



R9

SKID
RESISTANCE

AWAKE



1200 x 2780 mm br (6mm)



awake
1200 x 1200 br

awake
800 x 800 br



earth reflections



awake
inside floor 600 x 1200 br



awake
floor 1200 x 1200 br
wall 1200 x 2780 br (6mm)



awake
800 x 800 br



awake
600 x 1200 br



awake
600 x 1200 br



awake
600 x 1200 br




awake
wall 1200 x 2780 br (6mm)
floor 600 x 1200 br




awake
1200 x 2780 br (6mm)

SIZES & FINISHES



9 mm









brushed R9 (br)



6 mm




brushed R9 (br)



mosaico 36T






trident




patchy



nest



FANCY



1200 x 1200 mm br



fancy
1200 x 2780 br (6mm)



fancy
floor 1200 x 1200 br



industrial appeal

fancy
wall 1200 x 2780 br (6mm)
floor 1200 x 1200 br



fancy
wall 1200 x 2780 br (6mm)
floor 800 x 800 br



fancy
1200 x 2780 br (6mm)

SIZES & FINISHES



9 mm




brushed R9 (br)




6 mm




brushed R9 (br)



1200 x 1200 mm
br




600 x 600 mm
br




300 x 600 mm
br



600 x 1200 mm
br



mosaico 36T




trident



800 x 800 mm
br



patchy



400 x 800 mm
br



nest



1200 x 2780 mm
br

SHY



1200 x 1200 mm br



shy
wall 1200 x 2780 br (6mm)
floor 400 x 800 br



sophisticated details

shy
1200 x 1200 br



shy
floor 800 x 800 br

shy
1200 x 1200 br



10-15

← RECEPTION

23-32



shy
1200 x 1200 br




shy
1200 x 2780 br (6mm)

SIZES & FINISHES



9 mm









brushed R9 (br)




6 mm




brushed R9 (br)



mosaico 36T





trident



patchy



nest



TRUST



1200 x 2780 mm br (6mm)



trust
800 x 800 br

trust
1200 x 1200 br



trust
800 x 800 br



trust
1200 x 1200 br



trust
1200 x 1200 br



trust
wall 1200 x 2780 br (6mm)
bench 1200 x 2780 br (6mm)
floor tiles cut to 200 x 600 size on request



trust
1200 x 2780 br (6mm)

harmonious flow

trust
1200 x 1200 br



SIZES & FINISHES



9 mm







brushed R9 (br)




6 mm



brushed R9 (br)



mosaico 36T




trident




patchy



nest



V2



VERVE



1200 x 2780 mm br (6mm)



verve
1200 x 2780 br (6mm)



elegance of a perfect finish

verve
1200 x 1200 br



verve
1200 x 1200 br



verve
800 x 800 br



verve
wall 1200 x 2780 br (6mm)
bench 1200 x 2780 br (6mm)



verve
1200 x 2780 br (6mm)





SIZES & FINISHES




9 mm




brushed R9 (br)



mosaico 36T





trident



patchy




nest



6 mm



brushed R9 (br)



KARMA



counter: 200 x 800 mm br
cut to size on request



karma
200 x 800 br cut to size on request



sublime inspiration

karma
wall 1200 x 1200 br




awake
floor 1200 x 1200 br




9 mm



brushed R9 (br)



mosaico 36T



trident



patchy



nest




SIZES & FINISHES



6 mm



brushed R9 (br)



GLEE



wall 400 x 800 mm br



glee
1200 x 2780 br (6mm)

expressive form



glee
wall 600 x 1200 br

SIZES & FINISHES




9 mm






brushed R9 (br)




6 mm




brushed R9 (br)




mosaico 36T





trident



patchy



nest



GRACE



400 x 800 mm br



g r a c e
400 x 800 br

new aesthetic

grace
wall 400 x 800 br


calm
floor 600 x 1200 br
vanity unit 1200 x 2780 br (6mm)




SIZES & FINISHES




9 mm




brushed R9 (br)




6 mm




brushed R9 (br)



mosaico 36T





trident



patchy



nest



DÈCOR OPTIONS

MOSAICO 36T
300 X 300 mm




CALM




DELIGHT




AWAKE




FANCY




SHY




TRUST




VERVE



KARMA



GLEE




GRACE


TRIBEND
300 X 300 mm




CALM




DELIGHT




AWAKE




FANCY




SHY




TRUST




VERVE



KARMA



GLEE



GRACE

PATCHY
400 X 347 mm



CALM



DELIGHT



AWAKE



FANCY



SHY



TRUST



VERVE



KARMA



GLEE



GRACE

NEST
210 X 420 mm



CALM



DELIGHT



AWAKE



FANCY



SHY



TRUST




VERVE




KARMA













GLEE



GRACE

		standard	international standards EN14411 - G	average values
 DIMENSIONS	sides	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.0 mm max)	complying
	thickness	EN ISO 10545-2	$\pm 0.5\%$ max (± 0.5 mm max)	complying
	straightness of sides	EN ISO 10545-2	$\pm 0.3\%$ max (± 0.8 mm max)	complying
	rectangularity	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.5 mm max)	complying
	surface flatness	EN ISO 10545-2	$\pm 0.4\%$ max (± 1.8 mm max)	complying

	standard	international standards EN14411 - G	average values
 WATER ABSORPTION <small>UNI EN ISO 10545/3</small>	EN ISO 10545-3	≤ 0.5%	≤ 0.1%
 FLEX RESISTANCE <small>UNI EN ISO 10545/4</small>	EN ISO 10545-4	$S \geq 700 \text{ N } (< 7.5 \text{ mm})$ $S \geq 1300 \text{ N } (> 7.5 \text{ mm})$ $R \geq 35 \text{ N/mm}^2$	6 mm: $S \geq 1100 \text{ N } R \geq 48 \text{ N/mm}^2$ 9 mm: $S \geq 2400 \text{ N } R \geq 48 \text{ N/mm}^2$ 20 mm: $S \geq 12500 \text{ N } R \geq 48 \text{ N/mm}^2$
 COEFFICIENT OF RESTITUTION (COR) <small>UNI EN ISO 10545/5</small>	EN ISO 10545-5	declared value	> 0.80
 DEEP ABRAISION RESISTANCE <small>UNI EN ISO 10545/6</small>	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³
 COEFFICIENT OF THERMAL LINEAR EXPANSION <small>UNI EN ISO 10545/8</small>	EN ISO 10545-8	-	$\alpha = 6.6 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
 THERMAL SHOCK RESISTANCE <small>UNI EN ISO 10545/9</small>	EN ISO 10545-9	passed according to EN ISO 10545-1	no damage
 FROST RESISTANCE <small>UNI EN ISO 10545/12</small>	EN ISO 10545-12	passed according to EN ISO 10545-1	no damage
 CHEMICAL RESISTANCE <small>UNI EN ISO 10545/13</small>	EN ISO 10545-13	B min	A-LA-HA resistant
 STAIN RESISTANCE <small>UNI EN ISO 10545/14</small>	EN ISO 10545-14	declared value	5 resistant
 LEAD & CADMIUM DISCHARGE <small>UNI EN ISO 10545/15</small>	EN ISO 10545-15	declared value	< than instrument limit

ASSESSMENT OF SLIP RESISTANCE	test method	international standards	average values		
			br	nat	gr
	DM. 236/89 BCRA	> 0.40	-	-	-
	ASTM C1028	wet SCOF > 0.60	-	-	-
	ANSI A137.1	wet DCOF > 0.42	-	-	-
	AS 4586.2013	-	-	-	-
	DIN 51130	-	R9	R10	R11
	DIN 51097	-	-	A+B	A+B+C
	ENV 12633	≥ CL1	-	-	-
	UNI EN 13036 – 4:2011	≥ 36	-	-	-

“”
Ceramics of Italy

100%
MADE IN ITALY

Cement Resin
CL COLLECTION



STONEGRES

Stonegres Limited
20-22 Wenlock Road
London
N1 7GU

tel: 020 8943 3154

info@stonegres.co.uk | www.stonegres.co.uk