

Ionic Texture

limestone effect
EY COLLECTION

NATURE IN HARMONY

A real lab for indoor and outdoor applications.



A distinctive collection of the most popular stones used in architecture, elevated to the highest esthetical potential.




A minimalistic look but rich in surface and material details: harmonious colours and subtle nuances. Reflections and mineral influences characterise every single piece, for a perfect combination of balanced graphics and intricate colours.

- ❑ MEDITERRANEA P.4
- ❑ DESERT STONE P.13
- ❑ BEIGE CATALAN P.20
- ❑ GRIS CATALAN P.27
- ❑ GOLD CATALAN P.33
- ❑ DÉCOR OPTIONS P.38
- ❑ TECHNICAL CHARACTERISTICS P.39


-limestone effect -




mediterranea EY




desert stone EY




beige catalan EY



gris catalan EY



gold catalan EY



FINISHES

natural R10 (nat)
grip R11 (gr)
brushed R9 (br)



THICKNESSES

9 mm
20 mm
6 mm

Natural Moments

projection of soul

MEDITERRANEA

— EY —

mediterranea

wall 1200 x 2780 br (6mm)

indoor floor 600 x 600 nat

outdoor floor 600 x 600 gr (20mm)





MEDITERRANEA
floor 600 x 600 nat
wall 1200 x 2780 br (6 mm)



MEDITERRANEA
floor 600 x 600 nat



MEDITERRANEA

wall 1200 x 2780 br (6mm)

pool interior

indoor floor 600 x 600 nat

outdoor floor 600 x 600 gr (20mm)

MEDITERRANEA
arrow 1200 x 2780 br (6 mm)



MEDITERRANEA
arrow 1200 x 2780 br (6 mm)





MEDITERRANEA
basins

MEDITERRANEA
floor 600 x 1200 gr (20mm)
basins & counter




MEDITERRANEA



floor 600 x 600 mm nat
wall 1200 x 2780 mm br (6 mm)



9 mm




20 mm




natural R10 (nat)
grip R11 (gr)
brushed R9 (br)




grip R11 (gr)




800 x 1600 mm
br




600 x 1200 mm
gr




1200 x 1200 mm
gr
br




800 x 800 mm
br




800 x 800 mm
gr




600 x 600 mm
nat
br



600 x 600 mm
gr




600 x 1200 mm
nat
gr
br




300 x 600 mm
nat
br

mosaico 36T
300 x 300 mm



mosaico layer
300 x 600 mm




SIZES & FINISHES




6 mm




brushed R9 (br)



1200 x 2780 mm
br



600 x 1200 mm
br







BR	NAT	GR	GR 20 mm
R 9	R 10	R 11	R 11
SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE

A + B

SIZES & FINISHES

LINE and ARROW

A new decorative proposal, a perfect synergy between material and graphic applications, for a decorative effect with a surprising depth.



design fusion

DESERT STONE

— EY —





DESERT STONE
 floor 600x600 nat
 wall 1200 x 2780 br (6mm)

DESERT STONE
 floor 600x600 nat
 wall 1200 x 2780 br (6mm)



DESERT STONE

floor 600x600 nat
wall 1200 x 2780 br (6mm)





DESERT STONE
line 1200 x 2780 br (6mm)

DESERT STONE
line 1200 x 2780 br (6mm)




DESERT STONE




wall 1200 x 2780 mm br (6mm)
floor 600 x 600 nat

SIZES & FINISHES



9 mm



20 mm



natural R10 (nat)
grip R11 (gr)
brushed R9 (br)




grip R11 (gr)




6 mm



brushed R9 (br)



800 x 1600 mm
br




600 x 1200 mm
gr




1200 x 1200 mm
gr
br




800 x 800 mm
br




1200 x 1200 mm
gr




1200 x 2780 mm
br




600 x 1200 mm
nat
gr
br




600 x 600 mm
nat
br



800 x 800 mm
gr



600 x 1200 mm
br




300 x 600 mm
nat
br





600 x 600 mm
gr

mosaico 36T
300 x 300 mm



mosaico layer
300 x 600 mm







BR	NAT	GR	GR 20 mm
R 9	R 10	R 11	R 11
SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE

A + B

LINE and ARROW

A new decorative proposal, a perfect synergy between material and graphic applications, for a decorative effect with a surprising depth.



expressive effects

BEIGE CATALAN

— EY —

BEIGE CATALAN
floor 800 x 800 br
wall 1200 x 2780 br (6mm)



BEIGE CATALAN
outdoor floor 600 x 1200 gr(20mm)
indoor floor 600 x 1200 nat



BEIGE CATALAN
outdoor floor 600 x 1200 gr(20mm)
indoor floor 600 x 1200 nat




BEIGE CATALAN
floor 600 x 1200 nat

BEIGE CATALAN
floor 800 x 800 br








BEIGE CATALAN




floor 800 x 800 mm br
wall 1200 x 2780 mm br (6mm)

SIZES & FINISHES



9 mm



20 mm



natural R10 (nat)
grip R11 (gr)
brushed R9 (br)













grip R11 (gr)




6 mm





brushed R9 (br)



mosaico 36T
300 x 300 mm



mosaico layer
300 x 600 mm



BR	NAT	GR	GR 20 mm
R 9	R 10	R 11	R 11
SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE

A + B

modern affare

GRIS CATALAN

— EY —



GRIS CATALAN
600 x 1200 gr (20mm)



GRIS CATALAN
floor 600 x 1200 nat
wall 1200 x 2780 br (6mm)



GRIS CATALAN
600 x 600 gr (20mm)

Floor 21 - Roof pool
Floor 20 - Solarium & Gym
Floor 19 - Spa & Wellness
Floor 1-18 Rooms
Floor 0 - Lobby & Restaurant

GRIS CATALAN

floor 1200 x 1200 br
wall 1200 x 2780 br (6mm)

GRIS CATALAN



floor 1200 x 1200 mm br
wall 1200 x 2780 mm br (6mm)

SIZES & FINISHES




9 mm




20 mm




natural R10 (nat)
grip R11 (gr)
brushed R9 (br)



grip R11 (gr)



1200 x 1200 mm
gr
br



600 x 1200 mm
gr



600 x 1200 mm
nat
gr



800 x 800 mm
gr



800 x 800 mm
br




6 mm



brushed R9 (br)





1200 x 2780 mm
br





600 x 600 mm
nat

mosaico 36T
300 x 300 mm



300 x 600 mm
nat

mosaico layer
300 x 600 mm



BR	NAT	GR	GR 20 mm
R 9	R 10	R 11	R 11
SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE

A + B

eloquent vision

GOLD CATALAN

— EY —





GOLD CATALAN

floor 600 x 600 nat
wall 1200 x 2780 br (6mm)
counter br



GOLD CATALAN

outdoor floor 1200 x 1200 br (20mm)
indoor floor 1200 x 1200 br

GOLD CATALAN



floor 600 x 600 mm nat
wall 1200 x 2780 mm br (6mm)

SIZES & FINISHES



9 mm



20 mm



natural R10 (nat)
grip R11 (gr)
brushed R9 (br)











grip R11 (gr)




6 mm





brushed R9 (br)



mosaico 36T
300 x 300 mm



mosaico layer
300 x 600 mm



BR	NAT	GR	GR 20 mm
R 9	R 10	R 11	R 11
SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE	SKID RESISTANCE


A + B

DÉCOR OPTIONS


MOSAICO 36T
300 X 300



MEDITERRANEA



DESERT STONE



BEIGE CATALAN




GRIS CATALAN



GOLD CATALAN


LAYER
300 X 600



MEDITERRANEA



DESERT STONE



BEIGE CATALAN




GRIS CATALAN













GOLD CATALAN

STANDARD – EN 14411 – G


		standard	international standards	average value
 DIMENSIONS	length & width	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.0 mm)	complying
	thickness	EN ISO 10545-2	$\pm 0.5\%$ max (± 0.5 mm)	complying
	linearity	EN ISO 10545-2	$\pm 0.3\%$ max (± 0.8 mm)	complying
	rectangularity	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.5 mm)	complying
	surface flatness	EN ISO 10545-2	$\pm 0.4\%$ max (± 1.8 mm)	complying


STANDARD- EN 14411 - G

technical characteristics

	standard	international standards EN14411 - G	average values
 WATER ABSORPTION <small>UNI EN ISO 10545/3</small>	EN ISO 10545-3	≤ 0.5%	≤ 0.1%
 FLEX RESISTANCE <small>UNI EN ISO 10545/4</small>	EN ISO 10545-4	S ≥ 700 N (< 7.5 mm) S ≥ 1300 N (> 7.5 mm) R ≥ 35N/mm ²	6 mm: S ≥ 1100 N R ≥ 45 N/mm ² 9 mm: S ≥ 2400 N R ≥ 48 N/mm ² 20 mm: S ≥ 12500 N R ≥ 48 N/mm ²
 IMPACT RESISTANCE <small>UNI EN ISO 10545/5</small>	EN ISO 10545-5	declared value	> 0.80
 DEEP ABRASION RESISTANCE <small>UNI EN ISO 10545/6</small>	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³
 COEFFICIENT OF THERMAL LINEAR EXPANSION <small>UNI EN ISO 10545/8</small>	EN ISO 10545-8	-	A = 6.6×10 ⁻⁶ °C ⁻¹
 THERMAL SHOCK RESISTANCE <small>UNI EN ISO 10545/9</small>	EN ISO 10545-9	passed according to EN ISO 10545-1	no damage
 FROST RESISTANCE <small>UNI EN ISO 10545/12</small>	EN ISO 10545-12	passed according to EN ISO 10545-1	no damage
 CHEMICAL RESISTANCE <small>UNI EN ISO 10545/13</small>	EN ISO 10545-13	B min	A-LA-HA resistant
 STAIN RESISTANCE <small>UNI EN ISO 10545/14</small>	EN ISO 10545-14	declared value	5 resistant
 LEAD & CADMIUM DISCHARGE <small>UNI EN ISO 10545/15</small>	EN ISO 10545-15	declared value	< than instrument limit

STANDARD – EN 14411 – G

	test method	international standards	average values			
			nat	br	gr	br 20 mm
 ASSESSMENT OF SLIP RESISTANCE	DM. 236/89 BCRA	> 0.40	> 0.40	> 0.40	> 0.40	> 0.40
	ANSI A326.3	wet & dry	> 0.42	> 0.42	> 0.55	> 0.55
	AS 4586.	-	P3	P2	-	-
	DIN 51130	-	R10	R9	R11	R11
	DIN 51097	-	A+B	-	A+B+C	A+B+C
	UNE 41901	≥ CL1	CL2	CL1	CL3	CL3
	BS 7976 sl.96-4S	wet & dry	≥ 36	-	≥ 36	≥ 36
	BS 7976 sl.55-TRL	wet & dry	≥ 36	-	≥ 36	≥ 36



limestone effect
EY COLLECTION

NATURE IN HARMONY



STONEGRES

Stonegres Limited
20-22 Wenlock Road
London
N1 7GU
tel: 020 8943 3154

info@stonegres.co.uk | www.stonegres.co.uk