

ICONIC GLAMOUR



marble effect
JL COLLECTION

ETERNAL ELEGANCE



Timeless elegance with our anthology of iconic marble effects in porcelain stoneware. Each carefully selected slab exudes rare and pure references, creating a sophisticated style that will elevate any space.

Ideal for floors and walls, also furnishings and finishes, to create and design any environment.

The colour is of exceptional elegance, inspired by ancient stone, but with a contemporary resonance.

the
collection

- marble effect -

- ◆ STATUARIO FINE P.4
- ◆ CALACATTA SELECT P.13
- ◆ CALACATTA VENA ANTICA P.21
- ◆ WASHINGTON P.27
- ◆ TUNDRA LITE P.34
- ◆ PIETRA GREY P.39
- ◆ VERDI ALPI P.47
- ◆ TECHNICAL CHARACTERISTICS P.54



statuario fine JL




calacatta select JL




calacatta vena antica JL



washington JL




tundra lite JL



pietra grey JL



verdi alpi JL



FINISHES

polished (pol)



THICKNESSES

9 mm
6 mm

THE ELEGANCE OF A PERFECT FINISH

Floors and walls for residential and medium-traffic public application. The polished finish is dedicated to residential floors and wall cladding subject to slight stress and not in contact with outdoor areas. The polished finish is achieved using a mechanical action, just as with stone and marble, the presence of small areas with a non-uniform shine or dots must be considered as an intrinsic feature of the material deriving from its special manufacturing.

Statuario Fine

JL

STATUARIO FINE
wall 1200 x 2780 pol (6mm)
floor 1200 x 1200 pol



STATUARIO FINE
wall 1200 x 2780 hn (6mm)
floor 1200 x 1200 hn



STATUARIO FINE
wall 1200 x 2780 pol (6mm)
counter pol
floor 1200 x 1200 pol

STATUARIO FINE

wall 1200 x 2780 pol (6mm)
counter pol
floor 1200 x 1200 pol





STATUARIO FINE
1200 x 1200 pol



STATUARIO FINE
floor 1200 x 1200 pol



STATUARIO FINE

wall 1200 x 2780 pol (6mm)
floor 1200 x 1200 pol

KIT VEIN MATCHING



For an increasingly customised service, the Vein Matching Kit is available in this colour in the 1200x2780 mm, polished surface.

The kit is composed of 4 numbered slabs and sequential patterns that create a continuous vein effect.

The production process does not guarantee continuity in the design of the veining among the various pieces p
 Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the produ
 image shown is merely indicative; the shades and veinings of the product may be subject to variations



STATUARIO FINE
 1200 x 2780 pol (6mm)



STATUARIO FINE

1200 x 2780 mm pol (6mm)

DELICATE STATUARIO
FINE

SIZES & FINISHES



9 mm







polished (pol)
honed (hn)




6 mm







polished (pol)
honed (hn)



mosaico 144T
300 x 300 mm



mosaico 36T
300 x 300 mm



Calacatta Select

JL

CALACATTA SELECT
wall 1200 x 2780 pol (6mm)
counter pol





CALACATTA SELECT
wall 1200 x 2780 pol (6mm)



CALACATTA SELECT
wall 1200 x 2780 pol (6mm)



CALACATTA SELECT
wall 1200 x 2780 pol (6mm)
counter pol



CALACATTA SELECT
wall 1200 x 2780 pol (6mm)
washbasin pol



CALACATTA SELECT
wall 1200 x 2780 pol (6mm)

KIT VEIN MATCHING



For an increasingly customised service, the Vein Matching Kit is available in this colour in the 1200x2780 mm, polished surface.

The kit is composed of 4 numbered slabs and sequential patterns that create a continuous vein effect.

The production process does not guarantee continuity in the design of the veining among the various pieces p
Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the produ
image shown is merely indicative; the shades and veinings of the product may be subject to variations




CALACATTA SELECT
wall 1200 x 2780 pol (6mm)
washbasins pol



CALACATTA SELECT

1200 x 2780 mm pol (6mm)

BUTTERY CALACATTA
SELECT





9 mm









polished (pol)
honed (hn)



6 mm




polished (pol)
honed (hn)



mosaico 144T
300 x 300 mm



mosaico 36T
300 x 300 mm



Calacatta Vena Anticata

JL

CALACATTA VENA ANTICATA



CALACATTA VENA ANTICA
wall 1200 x 2780 pol (6mm)
floor 1200 x 1200 pol

CALACATTA VENA ANTICA
1200 x 2780 pol (6mm)






CALACATTA VENA ANTICA
 wall 1200 x 2780 pol (6mm)
 floor 1200 x 1200 pol



CALACATTA VENA ANTICA
 1200 x 1200 pol

KIT VEIN MATCHING



For an increasingly customised service, the Vein Matching Kit is available in this colour in the 1200x2780 mm, polished surface.

The kit is composed of 4 numbered slabs and sequential patterns that create a continuous vein effect.

The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.



CALACATTA VENA ANTICA
counter & table pol


TUNDRA LITE
wall 1200 x 2780 pol (6mm)
floor 800 x 800 pol



CALACATTA VENA ANTICA

1200 x 1200 mm pol

ELOQUENT CALACATTA
VENA ANTICA



SIZES & FINISHES




9 mm






polished (pol)





6 mm



polished (pol)



mosaico 144T
300 x 300 mm



Washington

JL





WASHINGTON
1200 x 1200 pol

WASHINGTON
1200 x 2780 pol (6mm)





WASHINGTON
 wall 1200 x 2780 pol (6mm)
 floor 1200 x 1200 pol



WASHINGTON
 wall 1200 x 2780 pol (6mm)
 floor 1200 x 1200 pol



WASHINGTON
 1200 x 2780 pol (6mm)

LINE

A new decorative proposal, a perfect synergy between material and graphic applications, for a decorative effect with a surprising depth.



WASHINGTON
 wall 1200 x 2780 line (6mm)
 floor 1200 x 1200 hn
 washbasin line (6mm)



KIT VEIN MATCHING




For an increasingly customised service, the Vein Matching Kit is available in this colour in the 1200x2780 mm, polished surface.

The kit is composed of 4 numbered slabs and sequential patterns that create a continuous vein effect.

The production process does not guarantee continuity in the design of the veining among the various pieces produced. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.



WASHINGTON
wall 1200 x 2780 hn (6mm)
floor 1200 x 1200 hn



WASHINGTON
1200 x 1200 mm pol

EFFORTLESS
WASHINGTON



SIZES & FINISHES



9 mm









polished (pol)
honed (hn)




6 mm




polished (pol)
honed (hn)
line



mosaico 144T
300 x 300 mm



mosaico 36T
300 x 300 mm



Tundra Light

JL

TUNDRA LITE



TUNDRA LITE
1200 x 2780 pol (6mm)

TUNDRA LITE
wall 1200 x 2780 pol (6mm)
floor 800 x 800 pol





TUNDRA LITE
 floor 800 x 800 pol

PIETRA GREY
 wall 1200 x 2780 pol (6mm)



TUNDRA LITE
 1200 x 2780 pol (6mm)

PIETRA GREY
 wall 1200 x 2780 pol (6mm)



TUNDRA LITE
800 x 800 mm pol

DIVINE TUNDRA LITE



SIZES & FINISHES



9 mm







polished (pol)
honed (hn)



6 mm







polished (pol)
honed (hn)



mosaico 144T
300 x 300 mm



mosaico 36T
300 x 300 mm



Pietra Grey

JL



PIETRA GREY
1200 x 2780 hn (6mm)



PIETRA GREY
wall 1200 x 2780 pol (6mm)
counter hn



PIETRA GREY
wall 1200 x 2780 hn (6mm)
counter hn



PIETRA GREY
wall 1200 x 2780 hn (6mm)
counter hn



PIETRA GREY
floor 800 x 800 hn
wall 1200 x 2780 hn (6mm)

PIETRA GREY
floor 800 x 800 hn





PIETRA GREY
wall 1200 x 2780 hn (6mm)
washbasin hn



m a r b l e - e f f e c t

— pietra grey —

PIETRA GREY
floor 600 x 1200 pol



PIETRA GREY
floor 800 x 800 pol



PIETRA GREY

wall 1200 x 2780 mm pol (6mm)

SUMPTUOUS PIETRA
GREY



9 mm






polished (pol)
honed (hn)




6 mm






polished (pol)
honed (hn)



mosaico 144T
300 x 300 mm



mosaico 36T
300 x 300 mm







VERDI ALPI
1200 x 2780 pol (6mm)

VERDI ALPI
1200 x 2780 pol (6mm)





VERDI ALPI
wall 1200 x 2780 pol (6mm)
washbasin pol



VERDI ALPI
1200 x 2780 pol (6mm)



VERDI ALPI

1200 x 2780 mm pol (6mm)



PLAYFUL VERDI ALPI




9 mm



polished (pol)



mosaico 144T
300 x 300 mm






mosaico 36T
300 x 300 mm



6 mm



polished (pol)



DÉCOR OPTIONS


MOSAICO 144T POL
300X300



STATUARIO FINE




CALACATTA SELECT




CALACATTA VENA ANTICATA




WASHINGTON



TUNDRA LIGHT




PIETRA GREY



VERDI ALPI

MOSAICO 36T HN
300X300



STATUARIO FINE



CALACATTA SELECT



WASHINGTON



TUNDRA LIGHT














PIETRA GREY

STANDARD– EN 14411 – G


		standard	international standards	average value
 DIMENSIONS	length & width	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.0 mm)	complying
	thickness	EN ISO 10545-2	$\pm 0.5\%$ max (± 0.5 mm)	complying
	linearity	EN ISO 10545-2	$\pm 0.3\%$ max (± 0.8 mm)	complying
	rectangularity	EN ISO 10545-2	$\pm 0.3\%$ max (± 1.5 mm)	complying
	surface flatness	EN ISO 10545-2	$\pm 0.4\%$ max (± 1.8 mm)	complying


STANDARD– EN 14411 – G

technical characteristics

	standard	international standards EN14411 – G	average values
 WATER ABSORPTION <small>UNI EN ISO 10545/3</small>	EN ISO 10545-3	≤ 0.5%	≤ 0.1%
 FLEX RESISTANCE <small>UNI EN ISO 10545/4</small>	EN ISO 10545-4	S ≥ 700 N (< 7.5 mm) S ≥ 1300 N (> 7.5 mm) R ≥ 0.48 N/mm ²	6 mm: S ≥ 1100 N R ≥ 48 N/mm ² 9 mm: S ≥ 2400 N R ≥ 50 N/mm ²
 IMPACT RESISTANCE <small>UNI EN ISO 10545/5</small>	EN ISO 10545-5	declared value	> 0.80
 DEEP ABRAISION RESISTANCE <small>UNI EN ISO 10545/6</small>	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³
 SURFACE ABRAISION RESISTANCE <small>UNI EN ISO 10545/7</small>	EN ISO 10545-7	–	PEI 3
 COEFFICIENT OF THERMAL LINEAR EXPANSION <small>UNI EN ISO 10545/8</small>	EN ISO 10545-8	–	$\alpha = 6.6 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
 THERMAL SHOCK RESISTANCE <small>UNI EN ISO 10545/9</small>	EN ISO 10545-9	passed according to EN ISO 10545-1	no damage
 FROST RESISTANCE <small>UNI EN ISO 10545/12</small>	EN ISO 10545-12	passed according to EN ISO 10545-1	no damage
 CHEMICAL RESISTANCE <small>UNI EN ISO 10545/13</small>	EN ISO 10545-13	B min	A-LA resistant
 STAIN RESISTANCE <small>UNI EN ISO 10545/14</small>	EN ISO 10545-14	declared value	5 resistant
 LEAD & CADIUM DISCHARGE <small>UNI EN ISO 10545/15</small>	EN ISO 10545-15	declared value	< than instrument limit

STANDARD – EN 14411 – G

 ASSESSMENT OF SLIP RESISTANCE	test method	international standards	average values
			pol
	DM. 236/89 BCRA	> 0.40	-
	ANSI A326.3	wet & dry	-
	AS 4586.	-	-
	DIN 51130	-	-
	DIN 51097	-	-
	UNE 41901	≥ CL1	-
	BS 7976 sl.96-4S	wet & dry	-
	BS 7976 sl.55-TRL	wet & dry	-



marble effect
JL COLLECTION

ETERNAL ELEGANCE



STONEGRES

Stonegres Limited
20-22 Wenlock Road
London
N1 7GU
tel: 020 8943 3154

info@stonegres.co.uk | www.stonegres.co.uk